Message

From: Evangelista, Pat [Evangelista.Pat@epa.gov]

Sent: 1/27/2016 4:01:47 PM

To: Bowser, Andre [Bowser.Andre@epa.gov]

CC: Martin, John [Martin.John]@epa.gov]; Carpenter, Angela [Carpenter.Angela@epa.gov]; Mears, Mary

[Mears.Mary@epa.gov]; Romanowski, Larisa [Romanowski.Larisa@epa.gov]

Subject: RE: additional questions on Hoosick Falls

These appear to me to be questions for Region 2. Thanks.

From: Bowser, Andre

Sent: Wednesday, January 27, 2016 10:58 AM **To:** Evangelista, Pat <Evangelista.Pat@epa.gov>

Cc: Martin, John <Martin.JohnJ@epa.gov>; Carpenter, Angela <Carpenter.Angela@epa.gov>; Mears, Mary

<Mears.Mary@epa.gov>; Romanowski, Larisa <Romanowski.Larisa@epa.gov>

Subject: Re: additional questions on Hoosick Falls

Presently OW is drafting responses to broader questions we received in the AP query, which should help us. I figured they might weigh in on broader questions below.

AB

Sent from my iPhone

On Jan 27, 2016, at 10:52 AM, Evangelista, Pat < Evangelista. Pat@epa.gov > wrote:

I suggest sharing the Qs with the drafted As.

From: Bowser, Andre

Sent: Wednesday, January 27, 2016 10:49 AM **To:** Martin, John < <u>Martin, John J@epa.gov</u>>

Cc: Carpenter, Angela < Carpenter. Angela@epa.gov>; Evangelista, Pat < Evangelista. Pat@epa.gov>;

Mears, Mary < Mears. Mary@epa.gov>; Romanowski, Larisa < Romanowski. Larisa@epa.gov>

Subject: Re: additional questions on Hoosick Falls

Forwarding to DC as heads up.

AB

Sent from my iPhone

On Jan 27, 2016, at 10:24 AM, Martin, John < Martin, John J@epa.gov > wrote:

Hi Pat and Angela,

We have another set of questions, this time from Inside EPA. Reporter's deadline is tomorrow, Thursday mid-day (Jan. 28).
Angela- please have a look at the NPL questions and provide input when you get the chance.
Pat- I couldn't find the letter Judith references, but I've tried to draft a response to #'s 5 and 6. Please provide input on these.
Thank you both, John
Ex. 5 - Deliberative Process

~~~

John Martin Press Officer

U.S. Environmental Protection Agency 290 Broadway, New York, NY 10007

martin.johnj@epa.gov Desk: 212-637-3662 Cell: 646-256-6710

EPA's Region 2 Covers N.J., N.Y., P.R., the U.S.V.I. and Eight Federally Recognized Indian

Nations

Visit Us: epa.gov/region2

Twitter: twitter.com/eparegion2
Facebook: facebook.com/eparegion2

Greening the Apple Blog: blog.epa.gov/blog/category/greeningtheapple/

From: Suzanne Yohannan [mailto:suzanney@iwpnews.com]

Sent: Tuesday, January 26, 2016 4:08 PM To: Martin, John < Martin, John J@epa.gov>

Cc: Romanowski, Larisa < Romanowski, Larisa@epa.gov>

Subject: additional questions on Hoosick Falls

## John,

I have some more questions in addition to the ones I sent on Friday, Jan. 22. Since then, I found EPA's webpage on Hoosick Falls and read through Administrator Enck's recent speech there.

In it, she says she wrote to Saint-Gobain and the village of Hoosick Falls recommending several actions, such as for households to be given 5 gallons of bottled water per day. Could I obtain a copy of this letter from you?

Also, has Saint-Gobain or the village responded to this letter? If so, what did they say?

It looks like Ms. Enck's slide #15 accompanying her Jan. 14 speech outline the letter to Saint-Gobain and the village. But can you clarify: is she asking those two entities to conduct these activities and pay for them? Or would costs be split? I'm referring to the supply of bottled water, the sampling of private wells, and the private wells' point of entry treatments or temporary public water treatment actions.

My next deadline is Thursday mid-day (Jan. 28).

## Thanks.

Sincerely,
Suzanne Yohannan
Inside Washington Publishers
Inside EPA's Superfund Report
Managing Editor
703-562-8759
suzanney@iwpnews.com